

21. Harland, R., Nordberg, K. and Filipsson, H. L., A high-resolution dinoflagellate cyst record from latest Holocene sediments in Koljö Fjord, Sweden. *Rev. Palaeobot. Palynol.*, 2004, **128**, 119–141.
22. Mudie, P. J., Rochon, A., Aksu, A. E. and Gillespie, H., Dinoflagellate cyst, freshwater algae and faunal spores as salinity indicators in late Quaternary cores from Marmara and Black seas. *Mar. Geol.*, 2002, **190**, 203–231.
23. Prell, W. L., Murray, D. W., Clemens, S. C. and Anderson, D. M., Evolution and variability of the Indian Ocean summer monsoon: evidence from western Arabian Sea drilling program. *Geophys. Monogr.*, 1992, **70**, 447–469.
24. Herguera, J. C. and Berger, W. H., Paleoproductivity from benthic foraminifera abundance: glacial to post glacial changes in the west-equatorial Pacific. *Geology*, 1991, **19**, 1173–1176.
25. Curry, W. B., Ostermann, D. R., Guptha, M. V. S. and Ittekkot, V., Foraminiferal production and monsoonal upwelling in the Arabian Sea: evidence from sediment traps. In *Upwelling Systems: Evolution Since the Early Miocene* (eds Summerhayes, C. P., Prell, W. L. and Emies, K. C.), Geological Society of Special Publication, Geological Society, London, 1992, pp. 93–106.
26. Murray, D. W. and Prell, W. L., Late Pliocene and Pleistocene oscillations and monsoon upwelling recorded in sediments from the Owen Ridge, northwestern Arabian Sea. In *Upwelling Systems: Evolution Since the Early Miocene* (eds Summerhayes, C. P., Prell, W. L. and Emies, K. C.), Geological Society of Special Publication 64, Geological Society, London, 1992, pp. 301–321.
27. Naidu, P. D., Glacial to interglacial contrasts in the calcium carbonate content and influence of Indus discharge in two eastern Arabian sea cores. *Palaeogeogr., Palaeoclimatol., Palaeoecol.*, 1991, **86**, 255–263.
28. Naidu, P. D., Malmgren, B. A. and Bornmalm, L., Quaternary history of calcium carbonate fluctuations in the western equatorial Indian Ocean (Somali Basin). *Palaeogeogr., Palaeoclimatol., Palaeoecol.*, 1993, **103**, 21–30.
29. Bhusan, R., Dutta, K. and Somayajulu, B. L. K., Concentrations and burial fluxes of organic and inorganic carbon on the eastern margins of the Arabian Sea. *Mar. Geol.*, 2001, **178**, 95–113.
30. Pattan, J. N., Masuzawa, T., Naidu, P. D., Parthiban, G. and Yamamoto, M., Productivity fluctuations in the southeastern Arabian Sea during the last 140 ka. *Palaeogeogr., Palaeoclimatol., Palaeoecol.*, 2003, **193**, 575–590.
31. Naidu, P. D. and Malmgren, B. A., A high-resolution record of late Quaternary upwelling along the Oman Margin, Arabian Sea based on planktonic foraminifera. *Paleoceanography*, 1996, **11**, 129–140.
32. Rostek, F., Bard, E., Beaufort, L., Sonzogni, C. and Ganssen, G., Sea surface temperature and productivity records for the past 240 kyr in the Arabian Sea. *Deep Sea Res. II*, 1997, **44**, 1461–1480.
33. Duplessy, J. C., Glacial to interglacial contrast in the northern Indian Ocean. *Nature*, 1982, **295**, 494–498.

ACKNOWLEDGEMENTS. We thank Dr Shetye, Director, National Institute of Oceanography, Goa for providing the necessary facilities and encouragement, and the anonymous reviewer for constructive comments. This work is financially supported by ISRO-GBP and Ministry of Earth Sciences, Government of India. This is National Institute of Oceanography Contribution No. 5107.

Received 6 June 2011; revised accepted 22 December 2011

## Correction

### Historical and future seismicity near Jaitapur, India

Roger Bilham and Vinod K. Gaur

[[Curr. Sci.](#), 2011, **101**, 1275–1281]

On page 1275, para 2, line 24, we inadvertently summarize our findings as:

‘Indeed Jaitapur has frequently experienced intensity VII shaking from such earthquakes.’

The sentence should read as:

‘Indeed, Jaitapur has frequently experienced intensity V and occasional intensity VI shaking from such earthquakes.’